' (!

Test Report

! " #

$ %   &   %

Report No.

!) * +, - .   / O 1 2 3 4 5 6 7 8 +,

Company Name
shown on Report

9   :   ; < = > ? @ / O A B C D E F G   #

Address

H I (J K L M N L M O P Q R S T U V W X Y

The following sample(s) and sample information was/were submitted and identified by/on the behalf of
the applicant

L M - .   Z [\ ] ^ _

L M ` #

L M a b c d

L M ' (c d

' (e f   g h i j e f   k l U m L M n o p q r s t u   v w (J x

Test Requested

' (y h /' (z {   S | } l % x

Test Method/Test Result(s)

~   '
•

6 † " "
ƒ   6 † 7 8 +,

•   €
c   d

ƒ „ ‡ ˆ ‰ Š … G   # ‹ ‰ Œ • $ Ž • s •

' (!
Test Report

! " # $ %   &   %

Report No.

' (y h **Test Method**

(J • —	(J —˜	(J ™š
p q r s t u	| ›	

' (z { **Test Result(s)**

(J • — **Tested Item(s)**	z { **Result**	—˜ ' œ8 **MDL**
p q r s t u		

L M ¢ £ ¤ ¥   • ž Ÿ ¡

Sample/Part Description

¦ §   ¨ ' œ ©ª —˜ ' œ8
                 « ¬ - K Ž

Remark: -

§ ®:   ¯ ! n o ° h z { V 5 ± • ² ³ • ´ µ ¶ ¢ · ¸ ¹ º • ´ µ » M ± ¼ ½ – o ¾ x

Note: The testing data and result(s) in this report is(are) just for scientific research, education,
   internal quality control and product development etc.

' (!
Test Report

' (¿ À Test Process

称量样品于套管中 Weigh sample and place it in a thimble	→	用有机溶剂萃取 Extracted with organic solvent	→	浓缩萃取液 Concentrate the extract

用 GC-MS 分析 Analyzed by GC-MS	←	用有机溶剂定容 Make up with organic solvent	←	转移萃取溶液至容量瓶内 Transfer the extract into a volumetric flask

' (!
Test Report

L MÁ Â

ÃÄ   Å

' (! Æ• , ÇÈ É • Ê ¾ Ë N ! Ì Í Ë Æ Î Ï

!) * + , - . N 9 : • L MN L MO PQ R S T U V Ð R S T Ñ k Ò Ó Ô Õ Ö × Ð   ¨ € Ô Ò Ó Ô Õ Ï

¯ ! ' (z { Ø k Ù (L MÖ × Ï

¨ "   Ú Û Ü Ý Ð Þ ß ¢ - à ° ¯   ! Ï

á ' (! n o â ã ¶ ä å n ã ¶ ä 7 æ ç Ð H n ã è , x

! z é